



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61G 17/06	A1	(11) International Publication Number: WO 99/15128 (43) International Publication Date: 1 April 1999 (01.04.99)
---	----	---

(21) International Application Number: PCT/NL98/00545


(22) International Filing Date: 21 September 1998 (21.09.98)

(30) Priority Data:
1007091 22 September 1997 (22.09.97) NL(71)(72) Applicant and Inventor: JONKER, Johannes, Cornelis
[NL/NL]; p/a Hoofdweg 180, NL-2908 LC Capelle a/d
IJssel (NL).(74) Agents: HOOIVELD, Arjen, Jan, Winfried et al.; Arnold &
Siedsma, Sweelinckplein 1, NL-2517 GK The Hague (NL).(81) Designated States: AU, CA, CN, JP, US, European patent (AT,
BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU,
MC, NL, PT, SE).

Published

*With international search report.
In English translation (filed in Dutch).*

(54) Title: A CONTAINER PROVIDED WITH A ZIPPER OF A BIODEGRADABLE MATERIAL AND A ZIPPER THEREFOR



(57) Abstract

A container substantially made of a flexible material, which comprises a sealable opening and a zipper for sealing said opening substantially air-tight, which zipper is provided along at least one part of the edge of said opening, wherein said zipper is made of a biodegradable material.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

A CONTAINER PROVIDED WITH A ZIPPER OF A BIODEGRADABLE MATERIAL AND A ZIPPER THEREFOR

5

The invention substantially relates to a container substantially made of a flexible material, which comprises a sealable opening and a zipper for sealing said opening substantially air-tight, which zipper is provided along at least one part of the edge of said opening.

Containers of this type are generally known.

Such a known container is sealed air-tight, in particular odour-tight.

One drawback of such known hermetically sealed containers is that they must be treated mechanically in a first step in order for their contacts to come into contact with the environment. Such hermetically sealed containers, in particular if said containers are waste containers, are dumped at a waste disposal site and/or covered with a layer of material. Such containers generally contain gas-forming products, in particular of a reactive nature.

Thus there is a demand for safe containers, which seal their contents air-tight for only a specified and limited period of time.

The object of the invention is to provide a solution for this problem, and in order to accomplish that objective it provides a container of the kind referred to above, wherein the zipper is made of a biodegradable material.

A container according to the invention is capable of sealing its contents air-tight, in particular odour-

tight. When the zipper of a container according to the invention is placed in an environment which is suitable for biodegradation of the biodegradable material, for example when it is placed in the ground or covered with a layer of earth, for example, a biodegradation process will take place, as a result of which the container will at least partially open, so that its contents, in particular the gases it contains, are brought into contact with the environment, as a result of which micro-organisms can effect further biodegradation. When a container according to the invention is present in an environment which is not suitable for biodegradation, the air-tight seal will be maintained.

Biodegradable closing elements in the form of a complementary snap-fit closure are known per se from EP 0 389 130, but a zipper is to be preferred, since it provides a reliable, airtight sealing element for the container, which enables re-sealing.

It is noted that zippers are likewise generally known per se, inter alia from publications EP-A-0 078 013 and EP-A-0 099 484, and also from German industrial standard DIN 3416.

A container according to the invention preferably has a length of 1.5 - 2.5 m, wherein the zipper extends along more than half the length of the container. Preferably, the maximum volume of such a container ranges between 5 l and 2000 l, preferably between 25 l and 500 l.

Generally it concerns waste containers having a considerable volume, as a result of which the ratio between the maximum volume of such a container and the volume of the contents of the container is optimized.

Preferably, the container is likewise made of a

substantially biodegradable polymer. As a result of this, besides the zipper, also the container will be degraded in the same biodegradation environment. This provides an additional advantage in controlling the accumulation of waste.

Biodegradable polymers have a limited life, which can be adjusted according to the circumstances. They are capable of undergoing a natural degradation process via digestion processes of living organisms, in particular fungi and bacteria. In the presence of oxygen this results in the production of carbon dioxide, water, biomass and minerals, under anaerobic conditions also methane can be produced.

It is noted that biodegradable polymers are already known per se from WO 96/08535, WO 92/14782, US-A-4,393,167 and US-A-4,880,592.

Biodegradable polymers are generally thermoplastic, and they can be processed via injection moulding operations, extrusion operations or other known techniques.

Such biodegradable polymers are known on the market, inter alia Mater-Bi of Novamont, S.p.A, in particular type Y101U, Bioflex of Biotec, in particular type FF102, Biopol of Monsanto plc., in particular types D300G, D311G, D400G, D411G, D600G, D611G, Bionolle of Showa Highpolymer Co. Ltd., and EcoPLA of Cargill Inc., in particular types 1100D, 3000D/3300D.

The invention furthermore relates to a zipper for interconnecting edges of a flexible material, wherein said zipper is made of a biodegradable material.

Preferably, the same aforesaid biodegradable polymers are also used for manufacturing a zipper, in particular

the zipper according to the invention.

The biodegradable polymer for the zipper is preferably a polymer with a base of starch and caprolacton or a
5 polymer with a base of the copolymer polyhydroxybutyrate/valerate. Such biodegradable polymers are in particular advantageous as regards their thermal forming processes.

10 The invention furthermore relates to a method for temporarily packaging material in a container substantially made of a flexible material, wherein the material is introduced into the container through a closable opening and said container is sealed
15 substantially air-tight by means of a zipper, wherein said zipper is made of a biodegradable material.

Said method can be used advantageously in particular for temporarily storing a human or animal body in a
20 container according to the present invention. Such a container, generally called a body bag, of a substantially biodegradable material provided with a zipper of a biodegradable polymer, will be degraded at least substantially completely in a degradation
25 environment, for example in the ground.

The invention furthermore relates to a bodily fluid-tight (sealing) article of clothing of a substantially biodegradable material, which comprises at least one
30 biodegradable zipper. Such an article of clothing may for example be used in laying out dead persons, in order to prevent bodily fluids (for example caused by the removal of donated organs or by abductions) flowing out, to which end the article of clothing must join the body
35 closely at its edges. To this end, the article of clothing is provided with a biodegradable zipper, in particular at the sleeves, near the ankle openings in

the trousers, and also near the neck thereof. The articles of clothing will likewise be degraded, at least substantially completely so, in the aforesaid degradation environment. The bodily fluid-tight article of clothing may be made in one piece, whilst in another preferred variant the trousers and the jacket are separate items, which can be sealed at the upper side and at the lower side respectively by means of zippers according to the invention.

10

The invention will be explained in more detail hereafter with reference to the drawing, which shows a preferred embodiment of a container according to the present invention.

15

Figure 1 is a perspective view of a container according to the invention in the form of a body bag 1 of a flexible material, preferably a biodegradable material. Body bag 1 is generally elongated, its length ranging between 1.5 and 2.5 m, whereby zipper 2 extends substantially along the length of body bag 1. Zipper 2 comprises the closing elements: lips 3, which are connected to sliding members 4, which couple or uncouple teeth or spirals 5 to form an air-tight seal.

Preferably, all closing elements, but at least one closing element, is made of a biodegradable material. Preferably, all the parts of such a body bag 1 are made of a biodegradable polymer. Such a polymer with a base of starch and polycaprolacton or with a base of the copolymer polyhydroxybutyrate/valera or with a base of polylactic acids can be applied by means of a simple injection moulding or extrusion operation.

When a human or animal body is placed in such a body bag, which is subsequently sealed, the contents of said body bag will be sealed air-tight during the time the body bag is present in an environment which is not

35

suitable for biodegradation, for example a chilled room. During transport, for example via a hearse or in aeroplanes, which are generally environments which are not suitable for biodegradation, either, the contents of
5 such a container will remain sealed air-tight, in particular odour-tight.

When the container is placed in an environment which is suitable for biodegradation, quick and efficient
10 degradation of the zipper will ensue, and the contents will come into contact with its environment via the opening that has been released. In a suitable environment, such biodegradation will take place very quickly, for example within a few weeks.

15 If the container is likewise made of a biodegradable polymer, substantially no residual product of the container and the zipper will remain after biodegradation, and the further degradation process of
20 the body will be accelerated.

Such a body bag is composed of natural products and complies with the applicable national and international rules. As far as the Netherlands is concerned,
25 Lijkomhulselbesluit Nr. BW98/U64 dd. 15 January 1998 applies, in particular subsections 1 and 4 of section 2 thereof.

section 2.1. Permeability

30 a. to water:

During seven days of continuous contact with water of 5 - 20 °C at a pH value of 7.0, the material must not allow more than 1 mg of liquid water to pass through per square metre per hour, measured in
35 accordance with standard DIN 53122 or a comparable standard.

b. to gas:

- After fourteen days, the permeability to gaseous carbon dioxide, measured in accordance with standard DIN 53122 or a comparable standard, must not be less than 150 ml per square metre per hour, and to oxygen it must not be less than 200 ml per square metre per hour.

section 2.4. Biodegradability

- More than 98% of the material of the body bags must be degraded within 90 days, measured in accordance with standard ASTM: d 5338-92, or a comparable standard. In addition, no harmful substances must be released by the body bags upon biodegradation, nor upon cremation. As far as heavy metals (Pb, Cr, Ni, Cu, Cd, Zn) and chlorinated hydrocarbons are concerned, German Bundesgütegemeinschaft standard RAL GZ 251 or a comparable standard applies. Verification of compliance is to be carried out by using standard ASTM: D 5152-91 or a comparable standard.
- Upon incineration, a body bag according to the invention will not release any compounds which are harmful to the environment, such as chlorine compounds, dioxins or heavy metals.

CLAIMS

1. A container substantially made of a flexible material, which comprises a sealable opening and a zipper for sealing said opening substantially airtight, which zipper is provided along at least one part of the edge of said opening, wherein said zipper is made of a biodegradable material.
2. A container according to claim 1, characterized in that said container is elongated, having a length of 1.5 - 2.5 m, wherein the zipper extends along more than half the length of the container.
3. A container according to claim 1 or 2, characterized in that the maximum volume of said container ranges between 5 l and 2000 l, preferably between 20 l and 500 l.
4. A container according to any one of the claims 1 - 3, characterized in that the material of said container substantially consists of a polymer.
5. A container according to claim 4, characterized in that the material of said container substantially consists of a biodegradable polymer.
6. A container according to claim 5, characterized in that said biodegradable polymer is selected from the group comprising cellulose, starch, polyhydroxoalkanoates, polyurethanes derived from aliphatic polyesters, polylactic acids, polycaprolacton or mixtures thereof, alternatively with addition of one or more softeners.
7. A zipper for interconnecting edges of a flexible material, wherein said zipper is made of a

biodegradable material.

8. A zipper according to claim 7, characterized in
that zipper has the properties as specified in
5 German standard DIN 3419.
9. A zipper according to claim 7 or 8, characterized
in that said biodegradable material is a
biodegradable polymer selected from the group
10 comprising cellulose, starch,
polyhydroxoalkanoates, polyurethanes derived from
aliphatic polyesters, polylactic acids,
polycaprolacton or mixtures thereof.
- 15 10. A zipper according to claim 9, characterized in
that said polymer has a base of starch and
caprolacton.
11. A zipper according to claim 10, characterized in
20 that said polymer has a base of the copolymer
polyhydroxybutyrate/valerate.
12. A method for temporarily packaging material in a
container of a substantially flexible material,
25 wherein said material is introduced into the
container through a closable opening and said
container is sealed substantially air-tight by
means of a zipper, wherein said zipper is made of a
biodegradable material.
- 30 13. A method according to claim 12 for temporarily
storing a human or animal body, wherein said body
is placed in a container of a substantially
flexible and preferably biodegradable material,
35 said container is then sealed substantially air-
tight by means of a zipper of a biodegradable
material, and subsequently placed in an environment

which is suitable for biodegradation.

14. A method according to claim 12 for temporarily
packaging material in a container according to any
5 one of the claims 1 - 6, wherein said container is
sealed by means of a zipper according to any one of
the claims 7 - 11, and subsequently placed in an
environment which is suitable for biodegradation.
- 10 15. A bodily fluid-tight article of clothing
substantially made of a biodegradable material,
which comprises at least one biodegradable zipper
according to any one of the claims 7 - 11.

1/1




Fig. 1

INTERNATIONAL SEARCH REPORT

International Application No

PCT/NL 98/00545

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 A61G17/06

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A61G B65D A44B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 0 389 130 A (MINNESOTA MINING & MFG) 26 September 1990 cited in the application see page 4, line 53 - line 54 see page 5, line 11 - line 28	1-6, 9-11, 13-15
X	see page 6, line 47 - line 49; figures	7,8,12
Y	DE 40 20 711 A (SOELLNER WOLF) 9 January 1992 see the whole document	1-6, 13-15
Y	WO 96 08535 A (PROCTER & GAMBLE) 21 March 1996 cited in the application see the whole document	6,9-11
	-/-	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"A" document member of the same patent family

Date of the actual completion of the international search

15 December 1998

Date of mailing of the International search report

23/12/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Godot, T

INTERNATIONAL SEARCH REPORT

Int. Jonal Application No

PCT/NL 98/00545

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 498 692 A (NODA ISA0) 12 March 1996 see column 11, line 48 - line 54; claims 10,15	1,4-7, 9-12
A	FR 2 618 669 A (CELARIER JEAN MARC ;CELARIER LOUIS (FR)) 3 February 1989 see the whole document	1,7,12
A	BE 628 480 A (MANUDO) 29 May 1963 see page 5, line 7 - page 6, line 1; figures	1,7,12

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/NL 98/00545

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0389130 A	26-09-1990	US 5088164 A AU 626991 B AU 5007090 A CA 2011041 A DE 69018862 D DE 69018862 T ES 2071009 T JP 2280705 A US 5113555 A	18-02-1992 13-08-1992 27-09-1990 22-09-1990 01-06-1995 30-11-1995 16-06-1995 16-11-1990 19-05-1992
DE 4020711 A	09-01-1992	NONE	
WO 9608535 A	21-03-1996	AU 3589995 A BR 9508946 A EP 0781309 A JP 10505872 T ZA 9507861 A	29-03-1996 21-10-1997 02-07-1997 09-06-1998 06-06-1996
US 5498692 A	12-03-1996	US 5685756 A US 5747584 A AU 1056895 A BR 9408512 A CA 2181791 A CN 1142839 A CZ 9602192 A EP 0739368 A FI 962997 A HU 75180 A JP 9508423 T NO 963104 A NZ 276325 A PL 315691 A SG 49114 A SK 97096 A WO 9520614 A US 5489470 A US 5602227 A US 5618855 A US 5780368 A ZA 9500627 A	11-11-1997 05-05-1998 15-08-1995 04-03-1997 03-08-1995 12-02-1997 11-12-1996 30-10-1996 26-07-1996 28-04-1997 26-08-1997 27-09-1996 28-07-1998 25-11-1996 18-05-1998 09-04-1997 03-08-1995 06-02-1996 11-02-1997 08-04-1997 14-07-1998 05-10-1995
FR 2618669 A	03-02-1989	NONE	
BE 628480 A		NONE	